

Volume 7652: International Optical Design Conference 2010

Editors: Julie Bentley, Anurag Gupta, Richard N. Youngworth

Conference Committee

Introduction

Tribute to Hans A. Buchdahl

Tribute to Juan L. Rayces

Tribute to James. M. Palmer

Tribute to Robert E. Hopkins

Tribute to Robert S. Hilbert

Tribute to Warren J. Smith

PLENARY SESSION

Computational imaging technologies [7652-49]

K. Kubala

EMERGING TECHNOLOGIES AND FUNDAMENTAL OPTICAL DESIGN

Development of subwavelength structure coating (SWC) and its application to imaging lenses [7652-55]

T. Okuno

The power of negative thinking [7652-51]

D. Shafer

Sixth-order wavefront deformations: the coefficients and insights into wavefront propagation in optical systems [7652-5]

J. Sasian

ILLUMINATION ENGINEERING: PRINCIPLES AND PRACTICE

A practical and predictive two-metric system for characterizing the color rendering properties of light sources used for architectural applications [7652-27]

M. Rea

From enthusiasm to economy: precision optical design as a key to making LED luminaries cost-efficient in street lighting and architectural lighting [7652-75]

A. Timinger

Non-visual effects of light: implications for design [7652-31]

M. Figueiro

Primary optics for LEDs: state of the art of optical architectures [7652-22]

J. Muschaweck, P. Brick, S. Grötsch, S. Schwalenberg

OPTICAL SURFACE REPRESENTATION AND FREEFORM DESIGN

Application of radial basis functions to represent optical freeform surfaces [7652-108]

O. Cakmakci, I. Kaya, G. Fasshauer, K. Thompson, J. Rolland

A comparison of anamorphic, keystone, and Zernike surface types for aberration correction [7652-93]

J. Rogers

A new generation of optical systems with ϕ -polynomial surfaces [7652-63]

K. Fuerschbach, K. Thompson, J. Rolland

Large field-of-view and high resolution free-form head-mounted display [7652-84]

D. Cheng, Y. Wang, H. Hua

Aspheres in a double Gauss: rehashing and old study [7652-66]

S. Sparrold

Anamorphic eyepiece for increased field of view [7652-52]

S. Moore

The initial configuration of a binocular visual system with long eye relief using a freeform profile [7652-92]

X. Cheng, J. Ma, L. Chen

OPTICAL SYSTEMS I: TELESCOPES, BINOCULARS, AND REFLECTIVE SYSTEMS

Optical design process and comparison for ATLAST concepts [7652-119]

B. Pasquale, P. Stahl, L. Feinberg, J. Howard, Q. Gong, D. Aronstein

Simultaneous design of an optical system and null tests of the components: examples and results from the Large-aperture Synoptic Survey Telescope [7652-33]

L. Seppala

The 300-year quest for binoculars [7652-76]

J. Greivenkamp, D. Steed

Anamorphic imaging with three mirrors: a survey [7652-118]

J. Howard, B. Stone

All-spherical catadioptric system for 0.8m F/4.5 astronomical telescope: Can we compete with the Ritchey-Chrétien design? [7652-39]

M. Baharmi, A. Goncharov, C. Dainty

Chabot Observatory's Leah and Rachel: the results of modern testing on 8-inch (1883) and 20-inch (1914) refracting telescopes [7652-16]

R. Schalck

Development of wide-angle three-mirror system with spiral optical axis [7652-64]

T. Nakano, Y. Matsumoto, Y. Tamagawa

Optical design for the Submillimeter and Far InfraRed Experiment (SAFIRE) [7652-121]

B. Pasquale, S. Moseley, D. Benford, G. Voellmer, P. Steigner

Optical design for the Composite InfraRed Spectrometer Lite (CIRS-Lite) [7652-120]

B. Pasquale, J. Brasunas, J. Hagopian, Q. Gong, W. Mamakos, M. Edgerton, V. Bly

Design of a CGH corrected calibration objective for the AO system at the Large Binocular Telescope [7652-99]

C. Schwab, A. Rakich, D. Peter, S. Aigner

Current concept for the 4m European Solar Telescope (EST) optical design [7652-106]

J. Sánchez Capuchino, M. Collados, D. Soltau, R. López, J. Rasilla, B. Gelly

OPTICAL DESIGN FOR MODERN DIGITAL SYSTEMS AND COMPUTATIONAL IMAGING

Thru focus MTF optimization in lens design [7652-47]

R. Bates

Fidelity comparison of phase masks for hybrid imaging [7652-98]

T. Vettenburg, A. Wood, N. Bustin, A. Harvey

Correcting lateral chromatic aberrations by image processing [7652-25]

A. Utsugi, K. Ishiga

Optical design and analysis of a tunable focus liquid lens with meniscus surfaces [7652-46]

A. Santiago-Alvarado, F. Iturbide-Jiménez, S. Vázquez-Montiel, M. Ramírez Guzmán

DESIGN AND APPLICATIONS OF ILLUMINATION SYSTEMS

[Evolution of illumination systems in microlithography: a retrospective \[7652-71\]](#)

A. Herkommer

[Design of illumination devices for delivery of photodynamic therapy in the oral cavity \[7652-30\]](#)

C. Canavesi, F. Fournier, T. Foster, J. Rolland

[Overview of the gamma reaction history diagnostic for the National Ignition Facility \(NIF\) \[7652-60\]](#)

R. Malone, Z. Ali, B. Cox, S. Evans, B. Frogget, H. Herrmann, M. Kaufman, Y. Kim, K. McGillivray, J. Mack, E. Miller, M. Palagi, W. Stoeffl, A. Tibbitts, T. Tunnell, C. Young

[Micro-optics for high-efficiency optical performance and simplified tracking for concentrated photovoltaics \(CPV\) \[7652-78\]](#)

W. Sweatt, B. Jared, G. Nielson, M. Okandan, A. Filatov, M. Sinclair, J. Cruz-Campa, A. Lentine

[Design, assembly, and testing of a spectral splitting solar concentrator module \[7652-105\]](#)

E. Christensen, G. Schmidt, B. Unger, D. Moore

[Injecting light of high-power LEDs into thin light guides \[7652-74\]](#)

H. Cornelissen, C. Ho, H. Ma, M. Krijn, H. van Sprang

[LED polarization conversion and angular shaping module for LCD backlighting \[7652-36\]](#)

P.-C. Lin, C.-H. Chen, H.-P. Yang, H.-Y. Lin

[Sunlight and LED hybrid illumination in indoor lighting design \[7652-10\]](#)

C.-H. Tsuei, W.-S. Sun

[Concentrated photovoltaics stepped planar light guide \[7652-116\]](#)

D. Moore, G. Schmidt, B. Unger

DESIGN AND ANALYSIS CONSIDERATIONS FOR OPTICAL SYSTEM FABRICATION AND TESTING

[Considerations for selecting a retrosphere in interferometric optical testing of objectives \[7652-35\]](#)

J. Rodgers

[Meaningful surface roughness and quality tolerances \[7652-67\]](#)

D. Aikens

[Analysis and tolerancing of structured mid-spatial frequency errors in imaging systems \[7652-87\]](#)

J. Tamkin, T. Milster

[Use of the Abbe sine condition to quantify alignment aberrations in optical imaging systems \[7652-111\]](#)

J. Burge, C. Zhao, S. Lu

[Controlling surface figure errors of optical components \[7652-14\]](#)

D. Markason

[Thermal considerations in the design of a long focal length, low f-number, long wave infrared imager \[7652-3\]](#)

H. Spencer

[Tolerance analysis and experiment of injection double lens in high power solid laser facility \[7652-112\]](#)

F. Wang, P. Li, L. Liu, L. Mo, D. Lin, W. Wang, J. Su, Q. Zhu

[The first order optics of novel testing equipment for compact camera module \[7652-26\]](#)

J.-W. Pan

[Diffractive null lens for parabolic mirrors \[7652-45\]](#)

O. García-Liévanos, S. Vázquez-Montiel

[Surface evaluation with Ronchi test by using Malacara formula, genetic algorithms, and cubic splines \[7652-32\]](#)

A. Cordero-Dávila, J. González-García

MODELING AND TESTING OF ILLUMINATION SYSTEMS AND COMPONENTS

Modeling transflective LCD illumination systems [7652-12]

J. Kim, R. Koshel

A low-cost, flexible, high dynamic range test for free-form illumination optics [7652-115]

L. Wang, P. Su, R. Parks, R. Angel, J. Sasian, J. Burge

Backward modelling of LED primary optics [7652-7]

S. Wendel, A. Domhardt, C. Neumann

A study of thin profile solar concentrators using wedge prism with diffractive grating [7652-43]

T. Waritanant, S. Boonruang, T. Chung

MANUFACTURING CONSIDERATIONS FOR OPTICAL DESIGN PRODUCIBILITY AND TOLERANCE DESENSITIZATION

The adversarial relationship between optical performance and scratch-dig [7652-68]

C. Kreischer

Lens solutions which increase manufacturing yield [7652-83]

S. Szapiel, C. Greenhalgh

The effect of selective assembly on tolerance desensitization [7652-44]

M. Funck, P. Loosen

Tolerance assignment for minimizing manufacturing cost [7652-82]

M. Kehoe

Manufacturable mobile phone optics: higher order aspheres are not always better [7652-89]

J. McGuire, Jr.

Merit figures for fast estimating tolerance sensitivity in lens systems [7652-34]

L. Wang, J. Sasian

HHG beam wavefront measurement by XUV PDI sensor [7652-69]

P. Homer, B. Rus, J. Hrebicek, M. Kozlova, D. Snopek

POLARIZATION IN OPTICAL DESIGN

Ray tracing in biaxial materials [7652-6]

W. Lam, S. McClain, G. Smith, R. Chipman

Low polarization microscope objectives [7652-61]

B. Daugherty, R. Chipman

Using orientation Zernike polynomials to predict the imaging performance of optical systems with birefringent and partly polarizing components [7652-110]

J. Ruoff, M. Totzeck

Challenges in polarization ray tracing [7652-50]

R. Chipman

Imprinting aberrations in the Stokes parameters of a focal spot [7652-57]

A. Beckley, T. Brown

Three-dimensional polarization ray tracing, retardance [7652-20]

G. Yun, R. Chipman

Three-dimensional polarization ray tracing and diattenuation calculation [7652-18]

G. Yun, K. Crabtree, R. Chipman

NONIMAGING OPTICAL DESIGN TECHNIQUES

[Swept conics: single mirror transformers \[7652-77\]](#)

P. Manhart, K. Ellis

[Edge-ray and aplanatic designs as special cases of generalized functional designs \[7652-62\]](#)

J. Bortz, N. Shatz

[Novel ideal nonimaging designs by multichanneling the phase-space flow \[7652-70\]](#)

J. Miñano, P. Benítez, J. Liu, J. Infante, J. Chaves, A. Santamaría

[Freeform reflector design using integrable maps \[7652-88\]](#)

F. Fournier, W. Cassarly, J. Rolland

[Optical design of inhomogeneous media to perfectly focus scalar wave fields \[7652-94\]](#)

P. Benítez, J. Miñano, J. González

[Novel fast catadioptric objective with wide field of view \[7652-73\]](#)

J. Infante Herrero, F. Muñoz, P. Benitez, J. Miñano, L. Wang, J. Vilaplana, G. Biot, M. de la Fuente

BEAM SHAPING AND PROPAGATION

[Gouy phase anomaly in astigmatic beams \[7652-97\]](#)

J. Rolland, T. Schmid, J. Tamkin, Jr., K.-S. Lee, K. Thompson, E. Wolf

[Mathematical aspects of laser beam shaping and splitting \[7652-24\]](#)

L. Romero, F. Dickey

[Modelling Airy beams propagation with lens design software \[7652-59\]](#)

S. Vo, K. Fuerschbach, C. Pachot, T. Schmid, K. Thompson, J. Rolland

[Microstructured optics for excimer-based systems: applications for imaging, beam shaping, and coherence management \[7652-38\]](#)

R. Brunner, H. Dobschal, R. Steiner, M. Burkhardt, A. Deparnay, O. Sandfuchs, D. Lehr, M. Helgert

[MLA fiber injection for a square core fiber optic beam delivery system: design versus prototype results \[7652-56\]](#)

T. Lizotte, F. Dickey

OPTICAL SYSTEMS II: ZOOM LENSES AND ADVANCED OPTICAL SYSTEM DESIGN

[Optical design challenges of NFIRAOS, the first-light adaptive optics system for TMT \[7652-48\]](#)

J. Atwood, P. Byrnes, G. Herriot, J. Pazder, S. Roberts

[Design and construction of a short-wave infrared 3.3X continuous zoom lens \[7652-15\]](#)

C. Olson, T. Goodman, C. Addiego, S. Mifsud

[Toward the global optimum in lithographic lens design \[7652-17\]](#)

A. Dodoc

[Liquid lens enabled optical coherence microscope with Gabor fusion \[7652-104\]](#)

J. Rolland, S. Murali, P. Meemon, W. Kuhn, K. Thompson, K. Lee

[Third order dispersion effects generated by achromatic doublets on sub-20 femtosecond optical pulses \[7652-37\]](#)

M. Rosete-Aguilar, F. Estrada-Silva, J. Garduño-Mejía, N. Bruce

[Optical concepts for dual band infrared continuous zoom lenses \[7652-103\]](#)

J. Vizgaitis

[Active imaging lens with real-time variable resolution and constant field of view \[7652-28\]](#)

J. Parent, S. Thibault

Miniaturized UV fluorescence collection optics integrated with ion trap chips [7652-91]

G. Brady, S. Kemme, A. Ellis

Review of a high resolution catadioptric optical module [7652-29]

N. Blanchard, N. Desnoyers, A. Martel, M. Demers, M. Savard, B. Tremblay, L. Le Noc, C. Chevalier, A. Bergeron

IODC DESIGN PROBLEM PAPERS

The 2010 IODC lens design problem: the green lens [7652-102]

R. Juergens

IODC 2010 illumination design problem [7652-114]

R. Winston, N. Shatz, J. Cobb, P. Michaloski, V. Oliker

DESIGN OF ILLUMINATION SYSTEMS: OPTIMIZATION AND TOLERANCING APPROACHES

Optimization of illumination systems using moment of illumination data [7652-53]

K. Moore, M. Nicholson

Iterative reflector design using a cumulative flux compensation approach [7652-107]

W. Cassarly

Monte Carlo tolerancing tool using nonsequential ray tracing on a computer cluster [7652-86]

C. Reimer

Illumination design and optimization strategies [7652-23]

H. Rehn

Fresnel based phase optimised general error diffusion algorithm for optical beam shaping [7652-19]

J. Ramsey, V. Sivokon, T. Hall, I. Andonovic, C. Michie

WHAT'S IN YOUR OPTICAL DESIGN AND ANALYSIS TOOLKIT?

Global optimization with traveling aspherics: aspheric surface number as continuous variable [7652-4]

A. Yabe

Recent discoveries from nodal aberration theory [7652-90]

K. Thompson, T. Schmid, J. Rolland

Automatic determination of optimal aspheric placement [7652-79]

T. Kuper, J. Rogers

Gaussian quadrature for optical design with noncircular pupils and fields, and broad wavelength range [7652-113]

B. Bauman, H. Xiao

DOEs for color correction in broad band optical systems: validity and limits of efficiency approximations [7652-65]

M. Seesselberg, B. Kleemann

Generalization of the Coddington equations to include hybrid diffractive surfaces [7652-109]

C. Zhao, J. Burge

Lens design with suppressed first order reflections [7652-40]

J. Buchheister, C. Weth

Simulation as a tool for teaching spectrographs optics to undergraduate physics students [7652-96]

G. Baldwin, R. Sánchez, M. Asmad, K. Tucto, F. Gonzales

ABCD matrix for calculating third-order aberrations of gradient index optical elements [7652-9]

F. Sorroche, J. Díaz, J. Fernández-Dorado, J. Arasa

Mobile phone camera lens design with reduced flare [7652-58]

X. Chen

Illustrating method of triplet prisms for minimizing the chromatic aberration [7652-21]

Z.-S. Chiang, W.-S. Sun, C.-C. Lee, C.-C. Sun

Calculation of third-order misalignment aberrations with the optical plate diagram [7652-101]

A. Rakich